



PERFECT FIT
ROLLER SPECIFICATION

PERFECT FIT ROLLER

THE PERFECT FIT ROLLER COLLECTION IS AVAILABLE AS TENSIONED OR CHAIN CONTROL SYSTEM. THE PERFECT FIT SYSTEM REMOVES THE NEED FOR SCREWS/HOLES BEING DRILLED INTO THE WINDOW FRAMES OR DOORS. PERFECT FIT ROLLER BLINDS ARE MANUFACTURED USING FABRIC FROM THE FABRIC BOX AND THE EXCEL ROLLER COLLECTION

FRAME

Aluminium frame with corner caps to match.


6 frame colours available:

White, Brown, Golden Oak, Mahogany, Anthracite and Black



CORNER CAPS

Available in White, Tan, Brown, Anthracite and Black



FRAME COLOUR	CORNER CAP COLOUR	BRACKETS COLOUR
White	White	White
Brown	Brown	Brown
Golden Oak	Tan	Brown
Mahogany	Brown	Brown
Anthracite	Anthracite	Anthracite
Black	Black	Black

PERFECT FIT ROLLER

ROLLER TUBE

Aluminium

ROLLER TUBE SIZE

25mm

MIN WIDTH

200mm (Chain Operation)

MAX WIDTH

1400mm

MIN WIDTH

330mm (Spring Operation)

MAX WIDTH

1400mm

MIN DROP

300mm

MAX DROP

1800mm*

Blind size and max drop is dependent on fabric.

*For Konnect recommended maximum drop is 1400mm.

SIDE FRAMES

Two holes are punched into the side frames. Window fixing brackets attach the blind to the window. Anything over 1100mm drop there will be three holes punched.

INSTALLATION

Perfect Fit Blinds can be fitted using Fixing brackets or Konnect magnetic strips. Universal frame option for face fixing outside of a recess.

FIXING BRACKETS

Fixing brackets come along with the blind to fit the blind into the window space.

Window fixing brackets come in 9 sizes: 18mm, 20mm, 22mm, 24mm, 26mm, 28mm, 30mm, 32mm, 38mm

Colours available: White, Anthracite, Brown and Black.

DROP	<1100	<1100
NO OF FIXING BRACKETS	4	6




PERFECT FIT ROLLER

KONNECT MAGNETIC STRIPS

Magnetic strips fit the blind into the window space. The blind frame and window frame will need cleaned with alcohol wipe to clear away any dirt to ensure strips will stick.

Please note: For Konnect maximum drop is 1400mm



CORNER JOINTS

Four corner joints hold the frame together.

Composition: Nylon 6

Colours available: White, Tan, Brown, Anthracite and Black.

Corner joints now come attached as standard on all blinds.

CONTROLS AVAILABLE

TENSIONED	Handle on wrap around bottom bar
CHAIN CONTROL	Right or Left


Chain control is not available with Golden Oak frame option. Chain only available in 400mm Endless Loop

HANDLE INSERT

Handle inserts are available in White, Tan, Brown, Anthracite and Black to provide clearance of any window handles.



Handle Insert position must be supplied at point of order.



PERFECT FIT UNIVERSAL

Perfect Fit Universal frame allows you to fit your blind outside of the window recess.

Available in 2 colours; White and Anthracite



FABRICS AVAILABLE FOR PERFECT FIT ROLLER

Only certain fabrics can be made up to maximum drop. See below for available fabrics and drop limitations:

UP TO 1000	UP TO 1200	UP TO 1400	UP TO 1600	UP TO 1800
Focal	Altea	Botany	Alessi	Arona
Marlow	Alvor	Estella	Bella	Boheme
Uniview Zero	Amico	Henlow	Hayden	Calista
	Barclay	Honor	Midas	Diva
	Bexley	Legacy	Musa	Halo
	Como	Logan	Soma	Isla
	Devon	Mallory	Uniview 3200	Lia
	Ennis	Memento	Unishade	Lola
	Glimpse	Sento		Metz
	Hanson	Tropic		Miro
	Hayworth			Mood
	Napa			Plaza
	Uniview 1100			Puriti
	Uniview 1300			Renzo
	Uniview 3000			Sahara
	Uniview 3100			Samba
	Vivi			Scope
				Sephora
				Shima
				Sio
				Solice
				Sorenza
				Sirocco
				Splash
				Staten
				Treviso
				Unicolour
				Unilux